REVISED:12.10.2018						
		== SECTION 1 - IDENTIFICATION	=====================================			
MANUFACTURE ADDRESS :		DiamaPro Systems, Inc. 325 West Front Street Erie, PA 16507	EMERGENCY PHONE: INFORMATION PHONE: NAME OF PREPARER:	1-800-424-9300 1-800-622-2048 Safety Director		
PRODUCT NAME: DiamaPro Diama-Joint Fill Component "B" PRODUCT CODE: DPJF						
			FICATION ====================================			
Classification o						
Label elements GHS Label elem	nents					
The product is cl GHS08 Health h		I labeled according to the Globally	Harmonized System (GHS)			
STOT RE 2 GHS07	H319	May cause damage to organs th	rough prolonged or repeated exposu	Ire		
Eye Irrt. 2A	H319	Causes serious eye irritation				
Hazard pictogra GHS07 GHS08	ams					
Signal word: Warning						
diethylmethylber Hazard stateme Causes serious o	nzenediamin nts: eye irritation					
Precautionary s	May cause damage to organs through prolonged or repeated exposure Precautionary statements					
Do not breathe dust/fume/gas/mist/vapors/spray Wash thoroughly after handling						
If in eyes: Rinse	Wear eye protection/face protection If in eyes: Rinse cautiously with water for several minutes					
Remove contact lenses. If present and easy to do. Continue rinsing Get medical advice/attention if you feel unwell						
		nedical advice/attention er in accordance with local/regional	l/national/international regulations			
Classification s NFPA ratings (s Health = 2	-					
Health = 2 Fire = 1 Reactivity = 0						
HMIS – ratings	(scale 0-4)					

Health = 2 Fire = 1 Reactivity = 0

Other hazardsResults of PBT and vPvB assessmentPBT:Not applicablevPvB:Not applicable

Chemical characterizations: Mixtures Description: Mixture of substance listed below with nonhazardous additions

2,200 mg/m³

SAFETY DATA SHEET

Dangerous Components

68479-98-1 diethylmethylbenzenediamine	
STOT RE 2, H373; Acute Tox. 4, H302; Acute T	ox. 4, H312; Eye Irrt. 2A, H319
======================================	RES ====================================
General Information:	
Symptoms of poisoning may even occur after several hours; therefor	e medical observation for at least 48 hours after the acciden
Description of first aid measures	
After inhalation:	
upply fresh air and to be sure call a doctor in case of complaints fter skin contact:	
senerally, the product does not irritate the skin	
fter eye contact:	
tinse opened eye for 15 minutes under running water. If symptoms	persist, consult a doctor
fter swallowing:	
inse mouth and then drink plenty of water. Do not induce vomiting.	
nconscious or having convulsions. If symptoms persist, consult doc	tor.
formation for the doctor:	
lost important symptoms and effects, both acute and delayed of further relevant information available	
idication of any immediate medical attention and special treatr	nent needed
o further relevant information available	
SECTION 5 - FIRE AND EXPLOSION HAZA	RD DATA
xtinguishing Media	
Suitable extinguishing agents:	
O2, extinguishing powder, foam or water spray, Fight larger fires w	ith water spray
pecial hazards arising from the substance or mixture	
lazards during fire-fighting:	
litrous gases, fumes/smoke, isocyanate, vapor	
dvice for firefighters rotective equipment:	
irefighters should be equipped with self-contained breathing appara	tus and turn-out gear
Additional Information:	
ispose of fire debris and contaminated extinguishing water in accor	dance with official regulations
======================================	ASURES ====================================
ersonal precautions, protective equipment and emergency pro	cedures
Clear area	
Vear protective equipment. Keep unprotected persons away.	
nsure adequate ventilation	
invironmental precautions	d water, water equires or equippe overem
o not allow undiluted product or large quantities of it to reach groun lethods and material for containment and clean up	u water, water course of sewage system
ispose contaminated material as waste according to Item 13	
bsorb with non-combustible liquid-binding material (sand, diatomite	. acid binders. universal binders)
end for recovery or disposal in suitable receptacles	· · · ,
nsure adequate ventilation	
eference to other sections	
ee Section 7 for information on safe handling	
ee Section 8 for information on personal equipment	
ee Section 13 for disposal information	
rotective Action Criteria for Chemicals AC – 1	
02-60-3 1,1',1", 1''' – ethylenedinitrilotetrapropan 2-ol	34 mg/m³
AC 2	UT HIGHT
02-60-3 1,1',1", 1"' – ethylenedinitrilotetrapropan 2-ol	370 mg/m³
AC 3	
102-60-3 1 1' 1" 1" - ethylenedinitrilotetranronan	2 200 mg/m3

1,1',1", 1" – ethylenedinitrilotetrapropan

102-60-3

HANDLING INFORMATION:

Precautions for safe handling: Open and handle receptacle with care Use and store only in well ventilated areas Protect against moisture Keep out of the reach of children Information about protection against explosions and fires: No special measures required Conditions for safe storage, including any incompatibilities Segregate from foods and animal feeds. Segregate from acids and bases Storage Requirements to be met by storerooms and receptacles Carbon steel, (Iron), High density polyethylene (HDPE), low density polyethylene (LDPE) Information about storage in one common storage facility: Not required Further information about storage conditions: Keep receptacle tightly sealed Specific end use(s): No relevant information available

Additional information about design of technical systems:

No further data; see Item 7

Control Parameters

Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of material with critical values that have to be monitored at the workplace

Personal Protection Equipment:

General protective and hygienic measures: Wash hands before breaks and at the end of work Keep away from foodstuffs, beverages and feed Immediately remove all soiled and contaminated clothing Store protective clothing separately Avoid contact with eyes Avoid contact with eyes and skin Engineering controls: No relevant information available Breathing Equipment:

In case of brief exposure or low pollution use respiratory filter devise. In case of intensive or longer exposure use respiratory protective devise that is independent of circulating air.

PROTECTIVE GLOVES:

Prevent prolonged or repeated contact by wearing chemical resistant gloves and other appropriate protective clothing. The selection of the gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore need to be checked prior to use.

Penetration time of glove material:

The exact break through time must be found out by the manufacturer of the protective gloves and has to be observed

EYE PROTECTION:

Wear safety glasses to reduce eye contact potential. Chemical safety goggles (ANSI Z87.1 or approved equivalent) are appropriate if splashing is likely. Eye washes must be available where eye contact can occur.

Body Protection:

Protective work clothing

OTHER PROTECTIVE CLOTHING OR EQUIPMENT:

A source of clean water should be available for flushing eyes and skin. Showers should be available if larger spills are possible. Protective work clothing

Information on basic physical and chemical properties Appearance

Form	Liquid			
Color	Clear to slightly cloudy			
Odor	Slight odor			
Odor Threshold	Not determined			
pH value	Not determined			
Melting point/Melting range	Not Determined			
Boiling point/Boiling range	200° C (392° F)			
Flash point	94° C (201.1°F)			
Flammability (solid, gas)	Not applicable			
Ignition temperature	420°C (788°F)			
Auto-Ignition temperature	Product is not self-igniting			
Decomposition temperature	Not Determined			
Danger of explosion	Product is not explosive.			
Explosion limits				
Lower	Not Determined			
Upper	Not Determined			
Oxidizing properties	Not Determined			
Vapor pressure	Not determined			
Density at 20° C (68°F)	1.02691 g/cm³, (8.56956 lbs/gal)			
Relative density	Not Determined			
Vapor density	Not Determined			
Evaporation rate	Not Determined			
Solubility in / Miscibility with Water	Not miscible or difficult to mix			
Partition coefficient (n-octanol/water)	Not Determined			
Viscosity				
Dynamic	800 mPas			
Kinematic	Not Determined			
Solvent Content:				
VOC content:	0.00%			
	0.0 g/l (0.00 lb/gl)			
Other information	No relevant information available			
====== SECTION 10 - STAB	BILITY AND REACTIVITY DATA ==================================			
Reactivity: No relevant information available				
Chemically stability				
Thermal decomposition / conditions to be av	oided:			
No decomposition if used and stored according t	to specifications			
Possibility of hazardous reactions				
Contact with certain rubbers and plastics can ca	use brittleness of the substance/product with subsequent loss in strength.			
Exothermic reaction				
Reacts with strong acids and alkalines				
Reacts with oxidizing agents				
Conditions to avoid				
Moisture				
Incompatible materials				
Acids, amines, alcohols, water, alkalines, strong	bases, Products that react with isocyanates			
Hazardous decomposition products				
Aromatic isocyanates, gases/vapors, carbon mo	noxide, carbon dioxide, nitrogen oxide, hydrogen cyanide			
======================================				
Information on toxicological effects				
Acute toxicity LD/LC50 values that are relevant for classific	ation			
	allUII.			
ATE (Acute Toxicity Estimate)				
Oral LD50 7.380 mg/kg (rat) Dermal LD50 >2,000 mg/kg (rat)				
LD30 >2,000 Mg/Kg (fat	.) 			

Oral LD50 Primary irritant effect: On the skin: No irritant effect On the eyes:

diethymethylbenzenediamine

2,200 mg/kg (mouse)

<u>68479-98-1</u>

No Irritating effect
Sensitization:
No sensitization effects known
Additional toxicological information:
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant
IARC (International Agency for Research on Cancer):
Carcinogenic categories
IARC (International Agency for Research on Cancer)
None of the ingredients are listed
NTP (National Toxicology Program):
None of the ingredients are listed
OSHA-Ca (Occupational Safety & Health Administration):
None of the ingredients are listed

Toxicity

Aquatic toxicity No relevant information available Persistence and degradability; No relevant information available **Bioaccumlative potential:** No relevant information available Mobility in soil: No relevant information available Additional ecological information General notes: Water hazard Class 2 (Self-assessment): Hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system Danger to drinking water if even small quantities leak into the ground Results of PBT and vPvB assessment PBT: Not applicable vpvB: Not applicable

Other adverse effects:

No relevant information available

Waste treatment methods

Recommendations:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relative local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

Uncleaned packaging's

Recommendation: Disposal must be made according to official regulations

UN-Number	
DOT	not regulated
IMDG, IATA	UN3082
UN, proper shipping name	
DOT	not regulated
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LQUID, N.O.S.
	(diethylmethylbenzenediamine) MARINE POLLUTANT
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LQUID, N.O.S.
	(diethylmethylbenzenediamine)
Transportation hazard class(es)	
DOT	
Class	not recognized
IMDG, IATA	-
Class	9 Miscellaneous dangerous substances and articles

Label	9
Packing group	
DOT	not regulated
MGD, IATA	
Environmental hazards	Product contains environmentally hazardous substances
	diethylmethylbenzendiamine
Marne pollutant	Symbol (fish and tree)
Special marking (IATA)	Symbol (fish and Tree)
Special precautions for user	Warning: Miscellaneous dangerous substances and articles
Danger code (Kemler(:	90
EMS Number:	F-A, S-F
Stowage Category	Α
Transport in bulk according to Annex II	
of MARPOL73/78 and the IBC code	Not applicable
UN "Model Regulation":	not regulated
-	-

Safety, health and environmental regulations / legislation specific for the substance or mixture
United States (USA)
SARA
Section 355 (extremely hazardous substances):
None of the ingredients are listed
Section 313 (Specific toxic chemical listings):
None of the ingredients are listed
TSCA (Toxic Substance Control Act)
All the ingredients listed
Proposition 65 (California)
Chemicals Known to cause cancer
None of the ingredients are listed
Chemicals known to cause reproductive toxicity for females:
None of the ingredients are listed
Chemicals known to cause reproductive toxicity for males:
None of the ingredients are listed
Chemicals known to cause development toxicity:
None of the ingredients are listed
Carcinogenic categories
EPA (Environmental Protection Agency)
None of the ingredients are listed
TLV (Threshold Limit Value established by ACGIH)
None of these ingredients are listed
NIOSH-Ca (National Institute for Occupational Safety and Health):
None of these ingredients are listed
GHS Label elements:
The product is classified and labeled according to the Globally Harmonized System (GHS)
Hazard Pictograms
GHS07
GHS08
Signal word:
Warning
Hazard-determining components of labeling:
diethylmethylbenzenediamine
Hazard statements:
Causes serious eye irritation
May cause damage to organs through prolonged or repeated exposure
Productionary statements

Precautionary statements

Do not breathe dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

In in eye: Rinse continuously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical advice/attention if you feel unwell.

If eye irritation persists: Get medical advice/attention Dispose of contents/container in accordance with local/regional/national/international regulations

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out

This information is based on our present knowledge. However, the shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road
IMDG:	International Maritime Code for Dangerous Goods
DOT:	US Department of Transportation
IATA:	International Air Transport Association
CAS:	Chemical Abstracts Service (division of the American Chemical Society)
LC50:	Lethal Concentration, 50 percent
LD50:	Lethal dose, 50 percent
PBT:	Persistent, Bio-accumulabe, Toxique
vPvB:	very Persistent and very Bio-accumulabe
NIOSH:	National Institute for Occupational Safety and Health
OSHA:	Occupational Safety & Health Administration
Flam. Liq. 3:	Flammable liquids – Category 3
Acute Tox. 4:	Acute toxicity – Category 4
Skin Irrt. 2A:	Skin corrosion / irritation – Category 2A
Eye Irrt. 2A:	Serious eye damage / eye irritation – Category 2A
Skin Sens. 1:	Skin sensitisation – Category 1