MANUFACTURER: DiamaPro Systems, Inc. EMERGENCY PHONE: 1-800-424-9300
ADDRESS: 325 West Front Street INFORMATION PHONE: 1-800-622-2048
Erie, PA 16507 NAME OF PREPARER: Safety Director

PRODUCT NAME: DiamaPro Slurry Scrub

PRODUCT CODE: DPSS

United States (US) - According to OSHA 29 CFR 1920.1200 Hazard Communication Standard

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

Hazard Classification Serious Eye Damage/Eye Irritation – 2B

LABEL ELEMENTS

Signal Word and Pictogram Warning

HAZARD STATEMENTS

H320 Causes eye irritation

PRECAUTIONARY STATEMENTS

P264 Wash thoroughly after handling

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

OTHER HAZARDS HEALTH 1
FLAMMABILITY 0

FLAMMABILITY 0 PHYSICAL HAZARD 0 PERSONAL PROTECTION B

Chemical Identity	CAS	Percent Weight	
2-Butoxyethanol	111-76-2	<60	
Prorientary Blend of Non-Petroleum Solvents	N/A	>40	

INHALATION

If overcome by exposure, remove victim to fresh air immediately. Give oxygen or artificial respiration as needed. Call a physician immediately.

SKIN

Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician if irritation persists. Wash clothing before reuse. Percent Weight

FYF

Immediately flush eyes with gentle but large stream of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Call a physician if irritation persists.

INGESTION

Do not induce vomiting. Never give anything by mouth to an unconscious person. Dilute by drinking two large glasses of water. Call a physician immediately.

SUITABLE EXTINGUISHING MEDIA Use non-flammable or non-explosive extinguishing media

SPECIFIC HAZARDS

No known unusual hazards in a fire or explosion situation.

SPECIAL PROTECTIVE ACTIONS FOR FIREFIGHTERS In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

FOR NON-EMERGENCY PERSONNEL

For non-emergency personnel, ventilate area of leak or spill and remove all ignition sources. Wear appropriate personal protective equipment as required to prevent any contamination of skin, eyes, and personal clothing. Isolate release area. Do not touch or walk throughspilled material unless wearing the appropriate protective equipment. Keep unnecessary and unprotected

personnel from entering.

FOR EMERGENCY RESPONDERS

For emergency responders, as an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep out of low areas. Keep unauthorized personnel away. Stay upwind. Ventilate closed spaces before entering.

ENVIRONMENTAL PRECAUTIONS

ACCIDENTAL RELEASE ENVIRONMENTAL

Stop leak if you can do it without risk. If possible, keep from entering into drains, surface water, or ground water. This product is biodegradable.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

CONTAINMENT AND CLEANUP

Contain and recover liquid when possible. Cover drains or cap spill when safe. Collect liquid in an appropriate container or absorb with an inert material (e.g. vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as saw dust. Small spills may be flushed to the sanitary sewer with approval from local authorities.

PRECAUTIONS FOR SAFE HANDLING

Protect against physical damage. Store in a cool, dry well-ventilated location. Avoid storing in direct sunlight when possible. Separate from incompatible materials such as strong acids or strong bases. Do not store in containers made from soft metals such as aluminum, magnesium, zinc, or galvanized steel.

CONDITIONS FOR SAFE STORAGE AND INCOMPATIBILITIES

Protect against physical damage. Store in a cool, dry well-ventilated location. Avoid storing in direct sunlight when possible. Separate from incompatible materials such as strong acids or strong bases. Do not store in containers made from soft metals such as aluminum, magnesium, zinc, or galvanized steel.

========== SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION ===================

CONTROL PARAMETERS

Chemical IdentityCASTLV2-Butoxyethanol111-76-250 ppmProprietary Blend of Non-Petroleum SolventsN/AN/A

APPROPRIATE ENGINEERING CONTROLS

Use adequate ventilation systems as needed to maintain air concentrations below occupational exposure standards.

INDIVIDUAL PROTECTIONS MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT

EYE / FACE Chemical safety glasses

PROTECTION SKIN PROTECTION

Nitrile gloves.

PROTECTION

None required under normal use.

========== SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES ========================

Appearance Clear liquid **Lower Limits** Not available Slight sweet odor Vapor Pressure Not available Odor 6.5 - 7.5 neat Vapor Density Not available рΗ Relative Density Freezing Point Not available 0.97 a/ml **Initial Boiling Point** Not available Solubility Miscible with water >200F (TCC) Flash Point **Partition Coefficient** Not available **Evaporation Rate Auto Ignition Temp** Not available Not available Flammability Not available **Decomposition Temp** Not available VOC (g/L) <360 g/L Viscosity Not available

Reactivity No dangerous reaction known under conditions of normal use

Chemical Stability Stable under normal temperatures and pressures

Possibility of Haz Rxns Will not occur

Conditions to Avoid No unusual conditions

Incompatible Materials Do not mix with strong acids or bases. Do not mix with any other chemical unless instructed to do so

by the manufacturer

Hazardous Decomposition In case of fire, oxides of carbon, hydrocarbons, fumes or vapors, soot, and smoke may be produced

INFORMATION ON TOXICOLOGICAL EFFECTS

Acute Toxicity No specific information available for mixture Skin Corrosion/Irritation No specific information available for mixture Serious Eye Damage/Irritation No specific information available for mixture Respiratory or Skin Sensitization No specific information available for mixture **Germ Cell Mutagenicity** No specific information available for mixture Carcinogenicity No specific information available for mixture **Reproductive Toxicity** No specific information available for mixture **STOT Single Exposure** No specific information available for mixture **STOT Repeated Exposure** No specific information available for mixture **Aspiration Hazard** No specific information available for mixture

Target Organs Skin

Routes of Entry Exposure Ingestion, inhalation, skin, eye.Ingestion, inhalation, skin, eye

POTENTIAL HEALTH EFFECTS

INHALATION ACUTE May irritate nose, throat, and lungs

INHALATION CHRONIC Vapors or mists may aggravate pre-existing lung conditions

SKIN ACUTE May cause irritation. Prolonged exposure may cause redness or pain. and should be

avoided

SKIN CHRONIC Sensitivity of the skin may occur with repeated, prolonged exposure

EYE ACUTE May cause redness, tearing, swelling and pain. Prolonged exposure to eyes should be

avoided

EYE CHRONIC No data available

INGESTION ACUTE May irritate gastrointestinal tract. Ingestion of large amounts may cause nausea, vomiting

and diarrhea

INGESTION CHRONIC No data available

========= SECTION 12 - ECOLOGICAL INFORMATION ==================================

TOXICITY Not enough information on the mixture is available

PERSISTENCE & BIODEGRADABILITY

Not enough information on the mixture is available. The components of the

mixture are determined as either readily biodegradable or inherently

biodegradable.

BIOACCUMULATIVE Not enough information on the mixture is available.

POTENTIAL

MOBILITY IN SOIL

OTHER ADVERSE EFFECTS

Not enough information on the mixture is available.

Not enough information on the mixture is available.

DISPOSAL CONSIDERATIONS

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may

change the waste management options. State and local disposal

regulations may differ from federal disposal regulations. Dispose of container and unused

contents in accordance with federal, state, and local requirements.

TRANSPORT Not regulated by D.O.T.

ENVIRONMENTAL HAZARDS None known SPECIAL PRECAUTIONS None known

SARA TITLE III INFORMATION

Chemical Identity CAS / CAT CODE PERCENT WT

Glycol Ethers N230 <65

OTHER REGULATORY INFORMATION

TSCA (Toxic Substance Control Act): All ingredients of this product are listed on the TSCA inventory.

CARCINOGENICITY: Not listed by IARC, NTP, or OSHA.

CALIFORNIA PROPOSITION 65: This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins which would be subject to the proposition.

KEY TO ABBREVIATIONS

N/E = Not Established. CAS = Chemical Abstract Service. ppm = Parts Per Million

g/L = Grams per Liter mg/m3 = milligrams per cubic meter

Prepared By: S. Thome Revision Date: 07/20/2021

The information herein is based on data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data or results. Also this shall not establish a legally valid contractual relationship.

Vendor assumes no responsibility for injury to vendee or third person proximately caused if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, vendor assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in use of the material.

Our products are intended for sale to industrial and commercial customers. We encourage customers to inspect and test our products before use and to satisfy themselves as to suitability for their specific applications.

Warranty: The manufacturer warrants that products sold comply with specifications as represented and will perform satisfactorily if used according to the directions, or the manufacturer will refund or replace any unused portion thereof, for a period of one year from the date of manufacture. The manufacturer does not make any other warranty, or assume responsibility of any kind, expressed or implied regarding the effect or result of the products use; and assumes no responsibility of injury to vendee or third parties proximately caused by the material if reasonable safety procedures are not adhered to.