REVISED: 2.12.2020 DiamaPro Systems, Inc. MANUFACTURER: EMERGENCY PHONE: 1-800-424-9300 ADDRESS : 325 West Front Street INFORMATION PHONE: 1-800-622-2048 Erie, PA 16507 NAME OF PREPARER: Safety Director PRODUCT NAME: DiamaPro Diama-TLC Plus Base PRODUCT CODE: DPTLCB **GHS Pictograms:** GHS Signal Word: WARNING This product is alkaline. Avoid contact with eyes and skin. Keep out of reach of children. The product may be harmful if it is inhaled or swallowed. POTENTIAL HEALTH EFFECTS: CODE OF HAZARD STATEMENTS: Physical hazards None. **Health Hazards** H303-may be harmful if swallowed. H312-Harmful in contact with skin. H319-Causes serious eye irritation. H333-May be harmful if inhaled. Environmental hazards None. CODE OF PRECAUTIONARY STATEMENTS: General P101-Keep out of reach of children. P103-Read label before use. **Prevention statements** P202-Do not handle until all safety precautions have been read and understood. P262-Do not get in eyes, on skin or on clothing. P264-Wash thoroughly after handling using this product. P280-Wear protective gloves/protective clothing/eye protection/face protection. P284-Wear respiratory protection. **Response statements** P312-Call a POISON CENTER or doctor/physician if you feel unwell. P331-DO NOT induce vomiting. P340, Remove victim to fresh air and keep at rest in a position comfortable for breathing. P352, Wash with plenty of soap and water. P362, Take off contaminated clothing and wash before reuse. Storage P403-Store in well-ventilated place. P404-Store in a closed container. ROUTES OF ENTRY: Eye contact, skin adsorption, ingestion and inhalation. CARCINOGENICITY: None know at this time.

Components				
Component	CAS #	EINECS No	% by weight	REACH Reg. #
Prop. A	Prop.	Prop.	1-8	No
Prop. B	Prop.	Prop.	1-8	Yes
Prop. C	Prop.	Prop.	5-12	No
Prop. D	Prop.	Prop.	15-25	NA
Lithium silicate	12627-14-4	235-730-0	10-15	Yes
Water	7732-18-5	231-791-2	Balance	No

REACH Registration number is the EINECS # and CAS#: lithium silicate is 235730012627144.

Proprietary A,B,C &D are non-flammable and non-hazardous.

Eye Contact: Flush eyes with water immediately while holding eyelids open. Remove contacts, if worn, after initial flushing and continue flushing for at least 15 minutes. Seek medical attention if irritation persists.

Skin Contact: Use soap and water to remove from the skin, remove contaminated clothing, clean thoroughly before reuse. Inhalation: Move to fresh air. If not breathing, give rescue breathing. If breathing is difficult, give oxygen. Seek medical attention if breathing is still difficult.

Ingestion: If swallowed, get medical attention immediately. DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person.

Flash Point: Not flammable

Flammability Limits: NE

Fire Fighting Media: Dry chemical, carbon dioxide, and water spray.

Special Fire Fighting Procedures: First responders need to wear full-bunker gear with SCBA, never enter a confined space unless fully protected with proper personal protective equipment (PPE). Material is alkaline and may cause the floor to be slippery.

Clean-up Procedures: Material is alkaline wear proper PPE. Stop the source of the release if you are not put at risk. Use absorbent material (such as sand or kitty litter) to absorb the spill, use plastic shovel to pick up absorbent for disposal.

Spills and Leaks: Dispose in accordance to local, state or federal regulations.

Handling: Do not get into eyes. Do not taste or swallow. Wash thoroughly after handling. Storage: Store in original labeled container. Keep in cool and dry areas.

Introductory Remarks: Consider the potential hazards of this product outlined in section 3. Use process exposures such as local exhaust ventilation, to control over exposure to airborne levels above recommended exposure limits. Personal Protection: Eyes: Wear safety goggles or safety glasses to prevent eye contact.

Body: Long sleeve shirts, long pants, socks, rubber boots and chemical resistant gloves.

Hands: Chemical resistant gloves

Respiratory: Wear an approved respirator (NIOSH TC-84A rated or EN 14387) that provides protection from this product if the airborne concentrations exceed the recommended exposure limits.

Odor/Color	Paint / color varies	Vapor Pressure	< 2.2 torr @ 68 °F (20 °C)
рН	11-12	Vapor density (air=1)	> 1
VOC	< 50g/L	Solubility	> 95 % in water
Evaporation	< 1.0	Boiling Point	212 °F (100 °C)
rate(water=1)			

Chemical Stability: Considered stable under normal ambient temperatures.

Hazardous Decomposition: If complete combustion, oxides of carbon and silicates are formed.

Hazardous Polymerization: Will not occur.

Incompatibility~ Materials to Avoid: May react with strong oxidizing agents and strong acids.

Acute Eye Irritation: Irritating.

Acute Skin Irritation: Chronic exposure may be irritating.

Acute Dermal Toxicity: Not expected to be toxic through the skin.

Acute Inhalation Toxicity: Not determined, expected to be an irritant to the respiratory system.

Carcinogenic Effects: None

Existing Medical Conditions Aggravated by Exposure: Exposure to eyes and skin may cause irritation to pre-existing conditions.

	SECTION 12 - ECOLOGICAL INFOR	RMATION =		
	e toxicity of this product has not been determined. Fate: This product should be expected to be readily	biodegrada	able.	
	SECTION 13 - DISPOSAL CONSIDE	RATIONS		
Federal Regulat	dling and Disposal: All containers should be triple r			
	SECTION 14 - TRANSPORT INFOR	MATION ==		
Shipping Name Technical Ship UNFIC: None ID Number: No Packaging Gro Labels: No US Not regulated b	up: None DOT Labels	RMATION =		
EPCRA 311/312	2 Categories: Immediate (Acute) Health Effects:		Yes	
	Delayed (Chronic) Health Effects: Fire Hazard:		Yes	
	Sudden Release of Pressure		No	
	Reactivity:		No	
TSCA: All ingred Reportable Qua Prop. 65: None WHMIS: Xi (Irrit All ingredients a	nunity: Miritating (Xi) substances assification: All ingredients are listed in CA, FL, MA, dients listed or exempt from listing. ntity (RQ): None ant to the eyes and skin) re listed as chemical inventories of ACIS, ECL, EEC Taiwan, USA and UK			
CAS #	Chemical Abstract Service Number	EINECS	S European Inventory of existing	
			ercial Chemical Sales	
⁰C Celsiu	is temperature scale	٥F	Fahrenheit temperature scale	
Prop.	Proprietary	PE	Personal Protective Equipment	
TLV	Threshold Limit Value	TWA	Time Weighted Average	
STEL	Short-term Exposure Limit	PEL	Permissible Exposure Limit	
OSHA NFPA	Occupational Safety & Health National Fire Protection Agency	NIOSH WHMIS	National Institute of Safety & Health Workplace Hazardous Materials Information	
		System		
NTP	National Toxicology Program	IARC	Int. Agency for Research on Cancer	
RCRA EC50	Resource Conservation Recovery Act Effective Dose	TSCA LC50	Toxic Substance Control Act Lethal Inhalation Concentration	
LD50	Lethal Dose	CAS	Chemical Abstract Service Number	
LD50	Lower explosive limit	UEP	Upper explosive limit	
NDA	No Data Available	ND	Not determined	
NDA Not determined NE None established NA Not Applicable				
	Than or Equal To		er Than or Equal To	
CNS	Central Nervous System	CI	China	
DSL	Canada	ECL	Korean Existing Chemicals List	
EEC	European Economic Commission	ENCS	Japanese Existing and New Chemical List	

EU	European Union	MAC	Netherlands		
MAK	Germany	MITI	Japan		
PICCS	Philippines	SWISS	Giftliste 1		
UK United k	Kingdom	USA	United States		
VOC	Volatile organic content	ACGIH	American Conference of Government		
		Industria	al Hygienists		
SARA	SARA Superfund Amendments and Reauthorization Act				
AICS Australian Inventory of Chemical Substances					
IARC International Agency for Research on Cancer					
Taiwan List of Toxic Chemical Substances regulated under Taiwan Toxic Chemical Substances					
	Control Act of 1086				

Hazardous Material Information (HMIS)

National Fire Protection Association (NFPA)

Health	1	1	Health
Fire	0	0	Fire
Reactivity	0	0	Instability
Personal Protection	С		NA

Health	4	Deadly 3	Extreme Danger 2	Dangerous 1 Slight hazard 0 No hazard
Fire	4	< 73 ⁰C 3	< 100 °C 2 < 200 °C 1	>200 °C 0 Will not burn
Reactivity/Instability	4 –	- May detonat	te 3 Explosive 2	Unstable 1 Normally stable 0 Stable

Risk phrases: R36, Irritating to eyes; R37, Irritating to respiratory system; and R38, Irritating to skin. **Safety phrases:** S2, Keep out of reach of children; S24, Avoid contact with skin; S25, Avoid contact with eyes;S37, Wear suitable gloves; and S39, Wear eye/face protection.

The information herein is based on data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data or results. Also this shall not establish a legally valid contractual relationship.

Vendor assumes no responsibility for injury to vendee or third person proximately caused if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, vendor assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in use of the material.

Our products are intended for sale to industrial and commercial customers. We encourage customers to inspect and test our products before use and to satisfy themselves as to suitability for their specific applications.

Warranty: The manufacturer warrants that products sold comply with specifications as represented and will perform satisfactorily if used according to the directions, or the manufacturer will refund or replace any unused portion thereof, for a period of one year from the date of manufacture. The manufacturer does not make any other warranty, or assume responsibility of any kind, expressed or implied regarding the effect or result of the products use; and assumes no responsibility of injury to vendee or third parties proximately caused by the material if reasonable safety procedures are not adhered to.