



Protection at the Speed of Light

# DiamaproESD Shine

Item No: DPESDSH – 100 – 2

## 1. Description

**Diamapro® Diamapro-ESD Shine** is a ESD floor spray buff solution formulated to be used with a high speed electric or propane powdered burnisher. This proprietary formula is enhanced with special lubricants to reduce overheating while burnishing. **Diamapro® Diamapro-ESD Shine** provides a high luster and a mirror like finish to not only **Diamapro® Diamapro-ESD System** but to all types of hard ESD flooring surfaces including ESD tiles, ESD Sheet vinyl, ESD floor paint and ESD Epoxy/Urethane systems.

## 2. Recommended Uses

- Antistatic properties enhance static conductivity
- Ultimate shine when used with a high speed burnisher
- Has very good burnish response
- Use on any hard ESD surface as a gloss enhancement
- Helps remove common scuff marks

## 3. Technical Data

Abrasives	None
Enhances static conductivity	
Coverage Rate	1,000-2,000 sq.ft./gallon
Ready to Use	

## 4. Limitations

Do not transport during sub-freezing conditions unless in a climatized transport vehicle.

Do formulated to be used on carpet or carpet tiles.

Must be used on an ESD system for maintenance only.

Always perform a test panel to determine suitability on all other ESD flooring systems other than **Diamapro® Diamapro-ESD System**.

## 5. Application Procedures and Instructions

The **Diamapro Diamapro-ESD System** must be swept or vacuumed prior to the start of the cleaning process removing all loose dirt and soil. Follow up with a damp microfiber mop. Dilute **Diamapro® Diamapro-ESD Clean** with water at a ratio of 1oz.:16oz. or 8 oz.:1 gallon as your cleaning solution. Allow to completely dry.

Pour **Diamapro® Diamapro-ESD Shine** into a clean spray bottle with an adjustable tip. Set the tip to provide a light mist. Lightly mist in front of the burnisher fitted with a white pad. Work the material into the floor until dry.

**Diamapro® Diamapro-ESD Shine** may also be diluted 1:1 with cool water. Mop the entire area leaving a thin uniform film. Allow the area to completely dry and then burnish with a high speed burnisher fitted with a white pad.

## 6. Availability

**Diamapro® Diamapro-ESD Shine** is only available through **Diamapro® Systems** Authorized Distributors and Applicators. Packaged in 1-5-gallon units. Only **Diamapro® Systems Authorised Distributors** and **Certified—Applicators** are allowed to sell the **Diamapro® DiamaproESD Shine**. For a list of Authorized Distributors or Applicators please contact **Diamapro® Systems**.

## 7. Conditions of Sale / Limited Warranty

**Diamapro® Systems** warrants that its products conform to the label descriptions, are free from



Protection at the Speed of Light

# Diamapro ESD Shine

Item No: DPESDSH – 100 – 2

manufacturing defects, and are fit for the ordinary purposes for which such goods are used. In as much as the use of **Diamapro® Systems'** product by others and other factors affecting product performance are beyond **Diamapro® Systems'** control, **Diamapro® Systems** does not guarantee the results to be obtained. There are no warranties except as stated herein, either express or implied, including implied warranties of merchantability or fitness for a particular purpose.

SHOULD ANY **Diamapro® Systems'** PRODUCT FAIL TO GIVE SATISFACTORY RESULTS, **Diamapro® Systems'** WILL REPLACE THE PRODUCT, OR AT ITS OPTION, REFUND THE PURCHASE PRICE. THIS IS THE SOLE AND EXCLUSIVE REMEDY FOR ANY FAILURE OF DIAMAPRO SYSTEMS' PRODUCTS TO PERFORM AS WARRANTED AND SHALL ALSO CONSTITUTE LIQUIDATED DAMAGES IN CASE OF LOSS. UNDER NO CIRCUMSTANCES SHALL THE BUYER BE ENTITLED TO ANY OTHER REMEDY OR DAMAGES. REMEDIES FOR INCIDENTAL AND CONSEQUENTIAL DAMAGES ARE SPECIFICALLY EXCLUDED.

**Diamapro® Systems** does not authorize any person to assume any other liability in connection with the sale or use of its products unless specifically authorized by **Diamapro® Systems** in writing.

## 8. Technical Services

The **Diamapro® Systems** office offers assistance with specifications, performance test data and field services.

## 9. Disclaimer

Every effort has been made to ensure the accuracy of the above information and to avoid infringement of any patent or copyright. The information is based on

field tests by government and private agencies, as well as lab tests, and on technical data from raw material manufacturers.

The person(s) specifying or requesting the use of these products is responsible for assuring their suitability for a specific use, as well as the proper application of the products.

## FOR INDUSTRIAL AND COMMERCIAL USE ONLY